

RHQDAPU Measures for FY 2010

Inpatient Hospital Quality Measures	Required Submission	Comments
Acute Myocardial Infarction (AMI)		
AMI-1 Aspirin at Arrival ¹	11/2003	NQF Endorsed
AMI-2 Aspirin Prescribed at Discharge ¹	11/2003	NQF Endorsed
AMI-3 ACEI or ARB for LVSD ¹	11/2003	NQF Endorsed
AMI-4 Adult Smoking Cessation Advice/Counseling ²	3Q/2006	NQF Endorsed
AMI-5 Beta-Blocker Prescribed at Discharge ¹	11/2003	NQF Endorsed
AMI 6 Beta-Blocker at Arrival ¹	11/2003	NQF Endorsed
AMI-7a Fibrinolytic Therapy Received Within 30 Minutes of Hospital Arrival ²	3Q/2006	NQF Endorsed
AMI-8a Primary PCI Received Within 90 Minutes of Hospital Arrival ² [Effective 1Q/2009, name changes to “Timing of Receipt of Primary Percutaneous Coronary Intervention (PCI).”]	3Q/2006	NQF Endorsed
Heart Failure (HF)		
HF-1 Discharge Instructions ²	3Q/2006	NQF Endorsed
HF-2 Evaluation of LVS Function ¹	11/2003	NQF Endorsed
HF-3 ACEI or ARB for LVSD ¹	11/2003	NQF Endorsed
HF-4 Adult Smoking Cessation Advice/Counseling ²	3Q/2006	NQF Endorsed
Pneumonia (PN)		
PN-1 Oxygenation Assessment ^{1,6} (Collection not required for CMS RHQDAPU participation effective 1Q/2009. Starting 2Q/2009, measure will be rejected from the QIO Clinical Warehouse if submitted.)	11/2003 Retired 1Q/2009	
PN-2 Pneumococcal Vaccination ¹	11/2003	NQF Endorsed
PN-3b Blood Cultures Performed in the Emergency Department Prior to Initial Antibiotic Received in Hospital ²	3Q/2006	NQF Endorsed
PN-4 Adult Smoking Cessation Advice/Counseling ²	3Q/2006	NQF Endorsed
PN-5b Initial Antibiotic Received Within 4 Hours of Hospital Arrival ^{1,6} (Submission required for RHQDAPU through 4Q/2008.)	11/2003 Discontinued 1Q/2009	NQF Endorsed

RHQDAPU Measures for FY 2010

PN-5c Initial Antibiotic Received Within 6 Hours of Hospital Arrival ⁶ (Effective 1Q/2009, name changes to “Timing of Receipt of Initial Antibiotic Following Hospital Arrival.”)	1Q/2009	NQF Endorsed
PN-6 Initial Antibiotic Selection for CAP in Immunocompetent Patients ²	3Q/2006	NQF Endorsed
PN-7 Influenza Vaccination ²	3Q/2006	NQF Endorsed
Surgical Care Improvement Project (SCIP)		
SCIP-Inf-1 Prophylactic Antibiotic Received Within One Hour Prior to Surgical Incision ²	3Q/2006	NQF Endorsed
SCIP-Inf-2 Prophylactic Antibiotic Selection for Surgical Patients ³	1Q/2007	NQF Endorsed
SCIP-Inf-3 Prophylactic Antibiotics Discontinued Within 24 Hours After Surgery End Time ²	3Q/2006	NQF Endorsed
SCIP-Inf-4 Cardiac Surgery Patients with Controlled 6 A.M. Postoperative Blood Glucose ⁵	1Q/2008	NQF Endorsed
SCIP-Inf-6 Surgery Patients with Appropriate Hair Removal ⁵	1Q/2008	NQF Endorsed
SCIP-VTE-1 Surgery Patients with Recommended Venous Thromboembolism Prophylaxis Ordered ³	1Q/2007	NQF Endorsed
SCIP-VTE-2 Surgery Patients Who Received Appropriate Venous Thromboembolism Prophylaxis Within 24 Hours Prior to Surgery to 24 Hours After Surgery ³	1Q/2007	NQF Endorsed
SCIP-Card-2 Surgery Patients on Beta-Blocker Therapy Prior to Arrival Who Received a Beta-Blocker During the Perioperative Period ⁶	1Q/2009	NQF Endorsed
Hospital Consumer Assessment of Healthcare Providers and System Survey (HCAHPS)		
HCAHPS Hospital Consumer Assessment of Healthcare Providers and System Survey ³	3Q/2007	NQF Endorsed
Cardiac Surgery Measure		
Participation in a Systematic Database for Cardiac Surgery ⁶ (Provider must enter response on QualityNet.)	Between 07/01/2009 & 08/15/2009	NQF Endorsed
Claims-Based Data^ (7/1/07-6/30/08)		
30-Day Risk-Standardized Mortality Rates		
MORT-30-AMI Acute Myocardial Infarction (AMI) 30-Day Mortality Rate ³	N/A	NQF Endorsed
MORT-30-HF Heart Failure (HF) 30-Day Mortality Rate ³	N/A	NQF Endorsed
MORT-30-PN Pneumonia (PN) 30-Day Mortality Rate ⁴	N/A	NQF Endorsed
30-Day Risk-Standardized Readmission Rates		
READM-30-AMI Acute Myocardial Infarction (AMI) 30-Day Readmission Rate ⁷	N/A	NQF Endorsed

RHQDAPU Measures for FY 2010

READM-30-HF Heart Failure (HF) 30-Day Readmission Rate ⁶	N/A	NQF Endorsed
READM-30-PN Pneumonia (PN) 30-Day Readmission Rate ⁷	N/A	NQF Endorsed
Agency for Healthcare Research and Quality (AHRQ) Patient Safety Indicators (PSI)		
PSI-4 Death Among Surgical Patients with Treatable Serious Complications ⁶	N/A	NQF Endorsed
PSI-6 Iatrogenic Pneumothorax, Adult ⁶	N/A	NQF Endorsed
PSI-14 Postoperative Wound Dehiscence ⁶	N/A	NQF Endorsed
PSI-15 Accidental Puncture or Laceration ⁶	N/A	NQF Endorsed
Agency for Healthcare Research and Quality (AHRQ) Inpatient Quality Indicators (IQI)		
IQI-4 and IQI-11 Abdominal Aortic Aneurysm (AAA) Mortality Rate (with or without volume) ⁶	N/A	NQF Endorsed
IQI-19 Hip Fracture Mortality Rate ⁶	N/A	NQF Endorsed
Agency for Healthcare Research and Quality (AHRQ) Inpatient Quality Indicator (IQI) Composite Measures		
IQI Mortality for Selected Surgical Procedures (composite) ⁶	N/A	NQF Endorsed
IQI Complication/Patient Safety for Selected Indicators (composite) ⁶	N/A	NQF Endorsed
IQI Mortality for Selected Medical Conditions (composite) ⁶	N/A	NQF Endorsed
Nursing Sensitive Measures		
PSI-4 Failure to Rescue ⁶	N/A	NQF Endorsed

¹ Measure included in '10 measure starter set'

² Measure included in 21 measure expanded set

³ Measure added in CY 2007 OPPTS/ASC Final Rule

⁴ Measure added in FY 2008 IPPTS Final Rule

⁵ Measure added in CY 2008 OPPTS/ASC Final Rule

⁶ Measure added in FY 2009 IPPTS Final Rule

⁷ Measure added in FY 2009 OPPTS/ASC Final Rule

[^] CMS uses enrollment data as well as Part A and Part B claims for Medicare fee-for-service patients to calculate these measures. No hospital data submission is required to calculate these measure rates.

This material was prepared by the Iowa Foundation for Medical Care, the Quality Improvement Organization Support Center for the Hospital Reporting Program, under contract with the Centers for Medicare & Medicaid Services (CMS), an agency of the U.S. Department of Health and Human Services.

8SoW-IA-HRPQIOSC-08/08-033