

Coordination of Nursing Home and Hospital Pressure Ulcer Care Across Settings

Next Steps

October 23, 2009

Andrea B. Silvey, PhD, MSN
Chief Quality Improvement Officer
Health Services Advisory Group (HSAG)

Where Do We Go from Here?

- Review your current practices related to transferring/receiving patients to/from another facility.
- Identify the facilities that are your ‘partners’ in preventing pressure ulcers (i.e., facilities that residents/patients are frequently transferred to or received from).

Where Do We Go from Here?

- Establish a contact person who can coordinate scheduling of activities with your identified facility ‘partners’ if you are interested and feel ready to do that.
- Request assistance from HSAG in developing a cross-setting pressure ulcer prevention workgroup.

3

Questions?

Whittier Hospital Medical Center
Pressure Ulcer In-Service

Over 1 million drug-related injuries occur every year in health care settings. The Institute of Medicine estimates that at least a quarter of these injuries are preventable.

To find out how to prevent medication errors, go to
<http://www.hsag.com/caproviders/drugsafety.aspx>



www.hsag.com

This material was prepared by Health Services Advisory Group of California Inc., the Medicare Quality Improvement Organization for California, under contract with the Centers for Medicare & Medicaid Services (CMS), an agency of the U.S. Department of Health and Human Services. The contents presented do not necessarily reflect CMS policy. Publication No. CA-9SOW-6.2.1-102009-02

The Medicare Quality Improvement Organization for California

HSAG