COVID-19 Vaccine Updates

5/11/22



Effectiveness of a 3rd vaccine dose against infection in nursing home residents during the Omicron period

TABLE. Relative effectiveness of additional COVID-19 primary or booster vaccine doses in preventing SARS-CoV-2 infection among residents of skilled nursing facilities compared with primary series vaccination only — National Healthcare Safety Network, United States, February 14–March 27, 2022

			_	Vaccine effectiveness % (95% CI)	
Vaccination status*	No. of resident-weeks†	No. of cases§	Crude infection rate [¶] (95% CI)	Unadjusted**	Adjusted ^{††}
Primary series Additional or booster dose	1,509,674 4,416,401	7,510 11,334	5.0 (4.9–5.1) 2.6 (2.5–2.7)	Ref 49.3 (47.3–51.3)	Ref 46.9 (44.8–48.9)


Abbreviations: Ref = referent group; SNF = skilled nursing facility.

- Analysis of National Healthcare Safety Network COVID-19 surveillance and vaccination data
- Infection rates among residents who had received a 3rd vaccine dose, either an additional or booster dose, were compared to those who received 2-dose primary series.
- A 3rd COVID-19 vaccine dose provides about 47% additional protection compared to 2 doses
 of vaccine during the Omicron period.



Effectiveness of a 3rd vaccine dose against infection in nursing home residents during the Omicron period

FIGURE. Crude weekly rates of reported confirmed SARS-CoV-2 infection among skilled nursing facility residents,* by vaccination status[†] and resident-week[§] — National Healthcare Safety Network, United States, February 14–March 27, 2022





 Rates of infection among residents with an additional or booster dose were consistently lower than those among residents with primary series vaccination only or among unvaccinated residents.

- Unable to distinguish between asymptomatic and symptomatic infections.
- Could not examine severe outcomes.



CA SNF First Booster Progress





SNF Residents

- 83.2% of residents received an additional or booster dose as of 5/3/22
- 17.8% of residents may still be eligible for a first booster

SNF Staff

- 85% of staff received an additional or booster dose as of 5/3/22
- 14% of staff may still be eligible for a first booster



FDA Limits Use of J&J Vaccine

- The FDA has limited the authorized use of the Johnson and Johnson/Janssen COVID-19 vaccine to ages ≥ 18 years for those who:
 - Other COVID-19 vaccines are not accessible or clinically appropriate
 - Elect to receive Janssen vaccine because they would otherwise not receive a COVID-19 vaccine
- Limitation based on the rare risk of thrombosis with thrombocytopenia syndrome (TTS)
- CDC guidance already limited the recommendations for use of J&J COVID-19 vaccine (as of December 2021)

Tentative Dates for FDA Vaccines and Related Biological Products Advisory Committee (VRBPAC) Meetings

- June 7, 2022
 - Discuss EUA for Novavax vaccine for ≥18y/o
- June 8, 21, and 22, 2022
 - Discuss EUA updates to Moderna and Pfizer vaccines for younger populations
- June 28, 2022
 - Discuss future COVID-19 vaccines and SARS-CoV-2 strain composition

The FDA intends to livestream the VRBPAC meeting on the <u>FDA YouTube channel</u>. The meetings will also be webcast from the <u>FDA website</u>.

Upcoming ACIP Meeting 5/19/22


- 5/19/22, 8am to 1pm
- Agenda pending
- Webcast Link



National Skilled Nursing Care Week

- Celebrated May 8-14, 2022
- Recognizes the essential role of longterm care facilities (LTCFs) in caring for older adults and people with disabilities.
- Let's honor and support LTC staff and residents by helping them keep up-todate with life-saving immunizations.





2nd Booster Resources

- 2nd Booster Clinical Considerations (CDC)
- 2nd Booster Flyer for Patients (CDC)
- 2nd Booster FAQs for LTCFs NEW!
- Older Adults Booster Poster UPDATED!
- Healthcare Worker Booster Poster UPDATED!
- LTCF COVID Vaccine toolkit UPDATED!
- Resources about COVID-19 Boosters (HHS)



Link Here



Resources



ENHANCED BY Google

A one-stop shop for immunization training and resources.

Home

Vaccine Programs

Vaccine Management

Storage Units

Temperature Monitoring

EZIZ Training

Job Aids & Resources

Contact VFC

Phone: 1-877-243-8832 Business hours: Monday - Thursday: 9 am -4:30 pm

Friday: 9 am - 4 pm Fax: 1-877-329-9832

- ► Find a VFC field representative in your area
- ► Find other VFC provider offices in your area
- ▶ Send us your comments at MvVFCVaccines@cdph. ca.gov

Sign up to receive **EZIZ** news and VFC letters via emai!



Vaccine Guidance

COVID-19

- Second COVID-19 Booster Dose FAQs for Long Term Care Settings (CDPH)
- Interim Clinical Considerations for the Use of COVID-19 Vaccine (CDC)
- COVID-19 Vaccine Timing by Age (Eligibility Chart)

Resources for Long-Term Care Facilities

- Spanish: Calendario de la Vacuna COVID-19 por Edad (Tabla de Elegibilidad)
- Long-Term Care Facility COVID-19 Vaccine Toolkit
- Pharmacy Partnership for Long-Term Care FAQs (CDC)
- FAQs about Medical Consent and Booster Doses for Residents (CDC)
- Post COVID-19 Vaccine Considerations for Residents (CDC)
- Clinical Considerations Second COVID-19 Booster Dose (CDC)
- · More Resources

Influenza

- Influena Vaccination Resources for Long-Term Care Facilities
- Influenza Vaccine Identification Guide

Vaccine Education

- Importance of COVID-19 Vaccination for Residents (CDC)
- COVID-19 Vaccination FAQs (CDC)
- COVID-19 Vaccine Education toolkit (PALTC)
- Thinking About Getting a Second COVID-19 Booster Dose handout (CDC)

Promotional Materials

- · If You Work in a Health Care Setting, Boost Your Health with a COVID-19 Booster
- · Everyone Could Use a Boost poster for older adults
- Everyone in Long-Term Care Needs Protection Against COVID-19 and Influenza poster | Spanish | Tagalog
- · Give Your Immunity a Boost infographic for healthcare workers
- · Resources about COVID-19 Boosters (HHS)
- · More Influenza Resources
- More COVID-19 Resources

All resources posted on the EZIZ Long-Term Care Facility Resources Page

https://eziz.org/resources -for-longterm-carefacilities/



Poll: If CDPH were to offer booster materials in additional languages, which of the following languages would be **most useful** for long-term care staff and residents? (select all that apply)

A. Spanish

B. Chinese

C. Vietnamese

D. Tagalog

E. Korean

F. Armenian

G. Farsi

H. Russian

I. Japanese

J. Arabic

K. No additional languages

L. Other (specify in chat)

