




Testing Taskforce: New California COVID-19 cases, hospitalizations and deaths



14 day average Hospitalizations



7 day Average Deaths



Avg. test positivity past 7 days 2.6%, Up 0.9% from last week

Daily New case numbers are similar to the lowest levels from last spring. They are rising slight from lows two weeks ago

14 day average Hospitalizations are about the same as previous low levels

7 day average Deaths are at the lowest they have been since the start of pandemic.

Avg. Turnaround time last week: 0.8 d

Turnaround time < 2 days: 97% Turnaround time < 1 day: 91%

April 19, 2022 with data as of April 18, 2022.

<https://covid19.ca.gov/state-dashboard/> <https://testing.covid19.ca.gov/>
COVID-19 Cases Dashboard v2.0 - CA Open Data | Tableau Public

No Change to Reporting of COVID-19 Laboratory Performed Molecular & Antibody tests

Table 1. Reporting Requirements by Entity and Type of Testing			
	Is Reporting Required Under this Guidance?		Examples
	Positive Results	Negative & Inconclusive Results	
NAAT-testing conducted in a facility certified under CLIA to perform moderate or high-complexity tests	Required	Required	<ul style="list-style-type: none"> • Laboratory-based Nucleic Acid Amplification Test (NAAT) testing, including RT-PCR, TMA, LAMP, and SDA tests • See https://www.cdc.gov/coronavirus/2019-ncov/lab/naats.html
Antibody testing conducted in a facility certified under CLIA to perform moderate or high-complexity tests	Required	Required	<ul style="list-style-type: none"> • Tests used to determine previous infection with SARS-CoV-2 in any setting

Change: Nonpositive CLIA waived tests no required reporting

<p>All other testing (except over-the-counter performed without CLIA oversight)</p>	<p>Required</p>	<p>Optional</p>	<ul style="list-style-type: none"> • Testing conducted in a setting operating under a CLIA certificate of waiver such as rapid tests (e.g., screening testing at schools, correctional facilities, workplaces, long-term care facilities; and point-of-care testing performed in pharmacies, medical provider offices, drive through and pop-up testing sites) • Non-NAAT diagnostic testing (e.g., high throughput antigen) testing conducted in a facility certified under CLIA to perform moderate or high-complexity tests
<p>Over-the-counter self-tests performed without CLIA oversight</p>	<p>Not required</p>	<p>Not required</p>	<ul style="list-style-type: none"> • Over-the-counter self-tests that are purchased without a prescription and specimens are collected and completely processed by an individual anywhere outside of a healthcare or lab setting without the supervision of a trained professional.