



# California Department of Public Health (CDPH) Infection Prevention (IP) Webinar

Wednesday, July 27, 2020

# Upcoming



Register for CDPH Wednesday, 3 p.m.,  
webinars at:

**[www.hsag.com/cdph-ip-webinars](http://www.hsag.com/cdph-ip-webinars)**



Join CDPH Thursday, 12 noon phone calls:

Dial-in: **1.877.226.8163**

Access Code: **513711**

# How to Find the Chat Button

- Scroll your mouse on the screen to see the menu at the bottom of the slide.
- Click on the button with a talking bubble to select the chat box.



# How to Submit a Question

1. To submit a question, click on the **Chat Button** at the center of the bottom navigation buttons.




2. The **Chat** panel will open on your right.

3. Indicate that you want to send a question to **All Panelists**.

4. Type your question in the box at the bottom of the panel.

5. Press **Enter** on your keyboard to submit your question.



To connect to the audio portion of the webinar, please have WebEx call you.

# Please Take 5 Seconds and Let Us Know



We want this call to be meaningful to you, so we need your input.

At the end of the webinar, you will be asked **one question** to determine if this call equipped your organization to manage COVID-19 and/or your infection prevention practices.



# CDPH Update



# California Association of Health Facilities (CAHF) Nursing Home Best Practices



# California Association of Long Term Care Medicine (CALTCM) Presentation IP Memory Care/Dementia Best Practices



**Symptoms of Coronavirus (COVID-19)**

Know the symptoms of COVID-19, which can include the following:

Symptoms can range from mild to severe illness, and appear 2-14 days after you are exposed to the virus that causes COVID-19.

Think medical care immediately if someone has emergency warning signs of COVID-19:

Tracheal wheezing, Persistent shortness of breath, New confusion, Rash, or blue lips.

Get it early. Call your doctor or health care provider for more information. <https://www.cdc.gov/coronavirus/2019-nCoV/about.html>

**PROCEDURE FOR PUTTING ON PERSONAL PROTECTIVE EQUIPMENT (PPE)**

- GOWN**
  - Always gown before other PPE. Always at least if you will have contact with the patient.
  - Fasten to back, chest, and waist.
- MASK OR RESPIRATOR**
  - Always face the patient (back if mouth-to-mouth).
  - Fit/Seal check for tight fitage.
  - No touch for face and nose area.
  - Discard respirator.
- GOGGLES OR FACE SHIELD**
  - Place over face and eyes and adjust to fit.
- GLOVES**
  - Touch the outside of the sterile glove.

**USE SAFE WORK PRACTICES TO PROTECT YOURSELF AND LIMIT THE SPREAD OF CONTAMINATION**

**Personal Protective Equipment For Coronavirus 2019 (COVID-19)**

**DONNING**

For respiratory protection use a surgical mask or device for eye protection and goggles or face shield.

**DOFFING**

Use Caution with Aerosol-Generating Procedures:

- Contact with aerosols directly against the face.
- Respirator should not be used for respiratory protection.
- Do not touch the front of the respirator.

Prevention of infection precautions and patient discharge:

- The room is decontaminated and stays closed until the room is decontaminated.
- Contact at 212-340-2945, 800-458-5231, or 212-340-2945.

NY State Department of Health, New York State Department of Health, and New York State Office of General Services.



**CAUTION**

IN THE EVENT OF A DISASTER OR FIRE EMERGENCY

**TEAR DOWN THIS PLASTIC**

**ISOLATION WING FULL PPE REQUIRED**

**STOP**

**STOP ENHANCED BARRIER PRECAUTIONS EVERYONE MUST:**

Clean their hands, including before entering and when leaving the room.

**PROVIDERS AND STAFF MUST ALSO:**

- Wear gloves and a gown for the following High-Contact Resident Care Activities:
  - Bedroom
  - Bedroom
  - Bedroom
  - Bedroom
  - Bedroom
  - Bedroom
  - Bedroom
  - Bedroom
  - Bedroom
  - Bedroom

Do not wear the same gloves that gloves that care otherwise than one person.

**STOP AIRBORNE PRECAUTIONS STOP EVERYONE MUST:**

Clean their hands, including before entering and when leaving the room.

Put on a fit-tested N-95 or higher level respirator before room entry.

Remove respirator after exiting the room and closing the door.

Door to room must remain closed.

**STOP CONTACT PRECAUTIONS EVERYONE MUST:**

Clean their hands, including before entering and when leaving the room.

**PROVIDERS AND STAFF MUST ALSO:**

- Put on gloves before room entry. Discard gloves before room exit.
- Put on gown before room entry. Discard gown before room exit.
- Do not wear the same gown and gloves for the care of more than one patient.
- Use dedicated or disposable equipment. Clean and disinfect reusable equipment before use on another person.

**STOP DROPLET PRECAUTIONS STOP EVERYONE MUST:**

Clean their hands, including before entering and when leaving the room.

Make sure their eyes, nose and mouth are fully covered before room entry.

Remove face protection before room exit.

**ALTO MEDIDAS DE PRECAUCIÓN POR GOTITAS TODOS DEBEN:**

Limpiarse las manos, incluso antes de entrar y al salir de la habitación.

Evitar tener los ojos, la nariz y la boca descubiertos antes de entrar a la habitación.

Quitar la protección facial antes de salir de la habitación.

**ALTO MEDIDAS DE PRECAUCIÓN POR TRANSMISIÓN AÉREA ALTO TODOS DEBEN:**

Limpiarse las manos, incluso antes de entrar y al salir de la habitación.

Ponerse un respirador N-95 o de mayor grado, al que se le hizo prueba de ajuste, antes de entrar a la habitación.

Quitar el respirador después de salir de la habitación y cerrar la puerta.

La puerta a la habitación debe quedar cerrada.

**ALTO MEDIDAS DE PRECAUCIÓN POR CONTACTO ALTO TODOS DEBEN:**

Limpiarse las manos, incluso antes de entrar y al salir de la habitación.

Los proveedores de atención médica y el personal deben, además:

- Ponerse guantes antes de entrar a la habitación. Desmontar los guantes antes de salir de la habitación.
- Ponerse una bata antes de entrar a la habitación. Desmontar la bata antes de salir de la habitación.
- No usar el mismo equipo reusable para atender a más de uno paciente.
- Usar equipo que sea desechable o reusable. Limpiar y desinfectar el equipo reusable antes de usarlo para otro paciente.

**ALTO MEDIDAS DE PRECAUCIÓN DE BARRERA AVANZADAS ALTO TODOS DEBEN:**

Limpiarse las manos, incluso antes de entrar y al salir de la habitación.

Los proveedores de atención médica y el personal deben, además:

- Usar bata y guantes para las siguientes actividades de alto contacto del cuidado de los residentes:
  - Bedroom
  - Bedroom
  - Bedroom
  - Bedroom
  - Bedroom
  - Bedroom
  - Bedroom
  - Bedroom
  - Bedroom
  - Bedroom
  - Bedroom
  - Bedroom
  - Bedroom
  - Bedroom
  - Bedroom
  - Bedroom
  - Bedroom
  - Bedroom
  - Bedroom
  - Bedroom
  - Bedroom

No usar la misma bata ni los mismos guantes para atender a más de uno paciente.



SOCIAL DISTANCING IN EFFECT



PLEASE STAY  
6'  
APART



POR FAVOR MANTENGA  
6'  
DE DISTANCIA



DISTANCIAMIENTO SOCIAL EN EFECTO

DISPLANS2C





**ATTENTION:**  
**PLEASE**  
**SANITIZE**  
**YOUR HANDS**  
**BEFORE AND**  
**AFTER**  
**CLOCKING-IN**



TESTING OF  
STAFF  
EVERY  
FRIDAY OF  
THE  
WEEK  
8AM TO 11AM







IN CASE OF  
EMERGENCY  
TEAR DOWN THE  
WALL

SOCIAL DISTANCING IN OFFICE  
PLEASE STAY  
2 METERS  
APART  
DE DISTANCIA  
SOCIAL EN EL OFICINA

SOCIAL DISTANCING IN OFFICE  
PLEASE STAY  
2 METERS  
APART  
DE DISTANCIA  
SOCIAL EN EL OFICINA



# Testing Taskforce Update

# Questions?





This material was prepared by Health Services Advisory Group, the Medicare Quality Innovation Network-Quality Improvement Organization for Arizona and California, under contract with the Centers for Medicare & Medicaid Services (CMS), an agency of the U.S. Department of Health and Human Services. The contents presented do not necessarily reflect CMS policy.  
Publication No. CA-12SOW-XC-07292020-02